




Features.




NARROW, WARM WHITE BEAM

40 5° Warm White LEDs that can be combined to mix an extensive array of color combinations.



LIGHT CURTAIN EFFECT

5° beams create a lighting curtain effect that expands the further you go to dress your production in Warm White.



INDIVIDUAL PIXEL CONTROL

Forty pixels that give the fixture its name as the pixels Zip through the air. Pixel map your stage venue or production to create the looks you want.

Specifications.

Mechanical Specifications:

Housing: Sheet Metal

Power Connection: Seetronics SAC3MPX Input (Nema 5-15

to SAC3FX-67 cable included)

Signal Connection: 5 Pin XLR In and Out

Lens Angle: 5

Segments: 40 Pixels

Fastening System: Mounting Yoke

Electrical Specifications:

Light Source: 40 X 3W WARM WHITE

Color Temperature: 3486 K CRI (Warm White): 75 Lumen Output: 92 Im

Power Supply: Electronic 100-240V AC 50/60 Power Consumption: 65 Watts | .84 Amps @110V

Control Systems

Control Protocols: DMX 512

Channel Modes: 4 Modes of Operation

Mode 1: 1 Ch Mode Dimmer

Mode 2: 4 Ch Mode Dimmer, Strobe, Shutter Macro,

Macro Speed.

Mode 3: 40 Ch Mode Dimmer X LED 40

Mode 4: 44 Ch Mode Dimmer, Strobe, Shutter Macro,

Macro Speed, LED 1-40.

Display: LED

Size and Weight:

Fixture Size: 39.37" X 2" X 6" (99.99cm x

5.08 cm x 15.24 cm)

Fixture Weight: 6lb (2.72 kg)

Packaged Size: 40.5" X 4.9" X 5.7" (102.87 cm x

12.44 cm x 14.47 cm)

Packaged Weight: 6.5lb (2.95 kg)



18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting

 $\ \ \, m \ \, e \ \, g \ \, a \ \, . \ \, l \ \, i \ \, g \ \, h \ \, t \ \, i \ \, n \ \, g$