

M-S-PHERE



M-SPHERE



DESCRIPTION



The M-sphere: our advanced moving head mirror fixture, featuring a flat beam reflecting mirror on one side and a rotating half mirror ball on the other.

This combination, along with its continuous rotation capability, produces a multitude of unique lighting effects.

Features.



BEAM REFLECTING MIRROR SIDE

On one side of our moving head we have a flat mirror face perfect for reflecting beams creating a bouncing light beam effect.



LARGE HEX MIRRORS SIDE

On the other side is a rotating half sphere covered in 101 large hex mirrors which when hit by beams creates a uniquely controllable mirror ball effect.



HALO RING

This unit also offers an eye-catching pixable ring light making this already unique fixture even more useful in all occasions

Specifications.

Mechanical Specifications:

Housing:	High Temp, Low flammability, Plastic
Fastening System:	2 Quick Release Clamp Mounts
Power Connection:	Input: Seetronics SAC3MPX Output: Seetronics SAC3FX Cable: Seetronics SAC3FX to Nema 5/15
Signal Connection:	3 and 5 Pin XLR In and Out
Pan Movement:	560 Degree Pan with Infinity Pan Rotation
Tilt Movement:	360 Degree Tilt with Infinity Tilt Rotation
Mirror Ball Rotation:	Infinity Mirror Ball Rotation in 2 directions, high polished metal reflector.
Large Hexagon Reflectors:	101 Hexagon high polished metal reflectors.
Large Mirror:	13" high polished metal reflector
Power Link:	60 units@110V 20 Amps

Control System

Protocol:	DMX 512
Channel Modes:	18 Channel Mode 66 Channel W/pixel Mode
Operating Mode:	Manual Settings Via Display

Electrical Specifications:

Light Source:	62 X 2.5W RGB
Signal Support:	DMX 512, RDM
Power:	Electronic 100-240V AC 50/60
Power Consumption:	28 Watts / .25 Amps @110V

Size and Weight:

Fixture Size:	18.62" X 11.8" X 22.25"
Fixture Weight:	37lb
Packaged Size:	22" X 19.25" X 21"
Packaged Weight:	44lb

MEGA **LITE**®

WWW.MEGA.LIGHTING

18662 Bandera Rd
Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279
info@mega.lighting

m e g a . l i g h t i n g