M-SPHERE



DES CRIP TION

The M-sphere: our advanced moving head mirror fixture, featuring a flat beam reflecting mirror on one side and a rotating half mirror ball on the other. This combination, along with its continuous rotation capability, produces a multitude of unique lighting effects.



Features.





LARGE HEX MIRRORS SIDE

On the other side is a rotating half sphere covered in 101 large hex mirrors which when hit by beams creates a uniquely controllable mirror ball effect.



PIXABLE RING

This unit also offers an eye-catching pixable ring light making this already unique fixture even more useful in all occasions

Specifications

Mechanical Specifications:

Housing: Fastening system: Power connection:

Signal connection: Pan movement: Tilt movement: Mirror ball rotation: Large hexagon reflectors:

Large mirror: Power link:

Control systems:

Protocol: DMX Channels:

Operating mode:

High temp, low flammability, plastic 2 Quick release clamp mounts Input: Seetronics SAC3MPX Output: Seetronics SAC3FX Cable: Seetronics SAC3FX to Nema 5/15 3 and 5 Pin XLR in and out 560 Degree pan with infinity pan rotation 360 Degree tilt with infinity tilt rotation Infinity mirror ball rotation in 2 directions, 101 Large hexagon high polished metal reflectors 13" High polished metal reflector 60 units@110V 20 Amps

Mode 2: 66 channel mode W/pixel control

Programmable single scene via manual

DMX 512

2 modos of operation

Mode 1: 18 channel mode

memory settings via display

Electrical Specifications:

Light source:	62 X .25W RGB
Signal support:	DMX 512, RDM
Power:	Electronic 100-240V AC 50/60 Hz
Power consumption:	28 Watts I .25 Amps @110V

Size and Weight:

Fixture size:	18.62" X 11.8
Fixture weight:	37 lb
Packaged size:	22" X 19.25"
Packaged weight:	44 lb

8" X 22.25" X 21"



18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting

mega.lighting